



**HOME WHAT'S NEW SEARCH LINKS AEPS**  
**TACOM-SBC (Soldier and Biological Chemical)**  
**Product Support Website**



## **MATERIAL SAFETY DATA SHEET (MSDS) FOR THE M295 DECONTAMINATION KIT, INDIVIDUAL EQUIPMENT.**

---

### **There are two types of M295 Decon Kits.**

The only difference between the two is in the powder in the applicator mitt. The current and newer M295 Kit contains sorbent; while the older version contains resin, the same type of powder used in the current M291 Skin Decon Kit. The older M295 with resin filled is no longer produced. However, there are still stocks in the fields. Therefore, MSDS's for both versions are available here.

You can tell which version of the M295 Kit you have by looking at the lot numbers. The newer and current M295 Kit has the letter "S" (for sorbent) at the end of the lot numbers.

**To view MSDS for the older M295 with resin click [HERE](#).**  
**MSDS for the current and newer M295 Kit with sorbent can be found below.**

---

### **Material Safety Data Sheet For M295 with Sorbent (Lot Numbers End with "S")**

#### **Company:**

Truetech, Inc.  
680 Elton Street  
Riverhead, NY 11901-2555

Health Emergency: 631-727-8600

Spill Emergency: 631-727-8600

---

#### **1. Product Identification**

A-200-SiC- Silica-Alumina-

<b>Chemical Name</b>	<b>CAS Number</b>
----------------------	-------------------

Alumina	1344-28-1
Carbon Powder	7440-44-0
Water	7732-18-5
Silicon Dioxide	1314-23-4
Sodium Oxide	1313-59-3

---

#### **2. Composition/Information on Ingredients**

<b>Chemical</b>	<b>Percent by Weight</b>
-----------------	--------------------------

Alumina	Balance
Carbon Powder	5%
Water	< 10%

Silicon Dioxide	10%
Sodium Oxide	7%
<b>Chemical</b>	<b>ACGIH TLV</b>
Alumina (dust)	10 mg/m3
Carbon Powder	10 mg/m3
Water	None
Silicon Dioxide (dust)	10 mg/m3
Sodium Oxide (dust)	10 mg/m3

---

### 3. Hazards Identification Potential Health Effects

**Routes of entry:** Eyes, Skin, Inhalation and Ingestion.

**Eye Contact:** Mild irritation may result from dust in eyes.

**Skin Contact:** May cause local dermatitis, which is relieved when removed. May cause allergic dermatitis.

**Inhalation:** Exposure to dust of any kind may produce respiratory allergy with symptoms of asthma in a small portion of workers. Dust particles of any kind may be abrasive and may cause irritation, chest pain, and shortness of breath.

**Ingestion:** May cause gastrointestinal disorders.

**Warning:** Dust of any kind in high concentrations may cause injury to skin, eyes, or respiratory tract.

---

### 4. First Aid Measures

**Eyes:** Flush eyes with running water for at least 15 minutes. Lift upper and lower eyelids and rinse under them. Do not rub eyes. Seek medical attention if irritation develops or persists.

**Skin:** In case of contact, wash with soap and plenty of water.

**Inhalation:** Remove to fresh air. If breathing has stopped, administer artificial respiration, oxygen, or cardio-pulmonary resuscitation if needed. Seek medical aid as needed.

**Ingestion:** No adverse effects expected, but seek medical advice.

---

### 5. Accidental Release Measures

Sweep up into appropriate container. Avoid creating dusting conditions.

---

### 6. Handling and Storage

Store in cool, dry place in tightly closed containers. Avoid breathing dusts. Avoid direct or prolonged contact with skin and eyes. Wash hands thoroughly after handling. Do not rub eyes with soiled hands. Do not eat, drink, or smoke in the work area.

Does not burn.

If the material is pneumatically conveyed, ground the equipment to avoid excessive static electricity. Sparks from static electricity can ignite any combustible vapors present.

---

### 7. Exposure Controls/Personal Protection

**Respiratory Protection:** Atmospheric levels should be maintained below the exposure guideline. Where the exposure guideline may be greatly exceeded, use appropriate NIOSH/MSHA respirator.

**Skin Protection:** Work uniform, gloves.

**Eye Protection:** Safety glasses with side shields or monogoggles.

**Other clothing and Equipment:** Maintain a sink, safety shower and eyewash fountain in the work area.

---

## 8. Toxicological Information

**Oral LD50 - rat:** >5 g/kg

**Dermal LD50 - rabbit:** >1.0mL/gm/kg

**Dermal Irritation - rabbit:** non-irritating (5 minute contact)  
mild irritant (4 hour contact)

**Ocular Irritation - rabbit:** moderate irritant (1 minute contact)  
borderline irritant (24 hour contact)

---

## 9. Transport Information

### HAZARDOUS CLASSIFICATION INFORMATION

This product is not a hazardous material for regulation by DOT. Not a self-heating substance per Test N.4, Test Method for Self-heating Substances, Recommendation on the Transportation Dangerous Goods, UN Manual of Tests and Criteria, 2nd Revised Edition, 1995.

### [BACK](#)

There have been 192,032 visitors to TACOM-SBC's area on AEPS since May 13, 1999.

[TACOM-SBC HOME PAGE](#) | [LATEST INFORMATION](#) | [SEARCH FOR PRODUCT INFO](#)

[LINKS TO EXTERNAL WEBSITES](#) | [AEPS HOME PAGE](#)

The purpose of this website is to provide DOD personnel and contractors the logistic, maintenance, and user information regarding existing systems developed and managed by TACOM-SBC to better support our customers.

[CONTACT US](#)